

S76	21	receiv\$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt\$4 near3 (key or "first key" or "original key"))) same ((second or another or different) adj2 key)) same (combin\$4 or join\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:42
S77	0	receiv\$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt\$4 near3 (key or "first key" or "original key"))) with (forming or making or creat\$4) with ((second or another or different) adj2 key)) same (combin\$4 or join\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:45
S78	12	((single adj2 stor\$4) with ((encrypted adj2 (data or information or file or content or image or audio or video))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:55
S79	42	((("5937161") or ("5892825") or ("6226618") or ("6226618") or ("5765152") or ("5078135") or ("5991403") or ("4817140") or ("5661799") or ("5784461") or ("5881152") or ("6055314") or ("6253193") or ("6363188") or ("6367019") or ("6385596") or ("6389102") or ("6389541") or ("6390245") or ("6118421") or ("6427140") or ("6434535") or ("6438235") or ("6550011") or ("6792113") or ("6176477") or ("6185306") or ("131162") or ("6182218") or ("6219421") or ("6219121") or ("58150489") or ("5812850") or ("5933500") or ("6016348") or ("6073234") or ("6092191") or ("6115816") or ("6126071") or ("6185680") or ("6210511") or ("860353") or ("5185794") or ("5267312") or ("5793Q29") or ("5106627") or ("5167396") or ("5539828") or ("5586036")).PN. or ("600277"). CLAS.	US-PGPUB; USPAT	OR	OFF	2005/04/04 18:55
S80	0	("48171410").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/04 18:56
S81	1	("4817140").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/04 18:56

S82	2	ep-821326-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:45
S83	2	ep-695997-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:59
S84	2	"6367019".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:59
S85	1	09/898319	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:51
S86	2	"6031910".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 11:35
S87	8	("5267313"   "5282247"   "5428685"   "5526428"   "5623546"   "5745571"   "5802175"   "5825875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 12:10
S88	22	("5825875").URPN.	USPAT	OR	ON	2005/04/07 13:15
S89	14904	(stor\$4 with (data with (key or "associated key" or (encrypt\$4 adj2 key))))	USPAT	OR	ON	2005/04/07 13:16
S90	747	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:53

S91	747	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key)))) same (combin\$4 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:40
S92	747	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key)))) with (combin\$4 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:41
S94	265	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key)))) and @ad<"20000801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:44
S95	265	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key)))) and @ad<"20000801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:44
S96	195	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key)))) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 13:47
S97	192	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key))) and @ad<"20000801"	US-PGPUB; USPAT	OR	ON	2005/04/07 13:47
S98	156	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key))) and @ad<"20000801" and ("713"/\$.ccls. or "380"/.ccls.)	US-PGPUB; USPAT	OR	ON	2005/04/07 13:49
S99	130	(stor\$4 near3 ((encrypted adj2 (data or content or file or image or audio or video)) with (key))) and @ad<"20000801" and ("713"/\$.ccls. or "380"/.ccls.)	US-PGPUB; USPAT	OR	ON	2005/04/07 13:50
S10 3	1178	(single near3 (storage adj2 (media or medium)))	US-PGPUB; USPAT	OR	ON	2005/04/07 13:51

S10 6	2	(stor\$4 near3 ((encrypted adj2 (data or content or file or information)) with (key or "associated key" or (encrypt\$4 adj2 key)))) same (single with (storage ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:01
S10 7	2	"6389538".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:05
S10 8	103	(combin\$4 with ((encrypted adj2 data) with key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:06
S11 1	2	(combin\$4 with ((encrypted adj2 data) with key)) same (stor\$4 with single)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:07
S11 2	3	((("5940507") or ("6671759") or ("5235641")).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/12 17:41
S11 4	2	wo-9948303-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:42
S11 5	1	09/898319	US-PGPUB; USPAT	OR	ON	2005/04/12 18:06
S11 6	9459	(receiv\$4 or accept\$4 or get\$4 or obtain\$4) with (encrypt\$4 near3 (content or data or image or video or audio or music))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:14
S11 7	77	(receiv\$4 or accept\$4 or get\$4 or obtain\$4) with (encrypt\$4 near3 (content or data or image or video or audio or music)) same ("IEEE 1394" or "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 09:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3375	(encrypt\$4 with (key or "first key" ) with ((another or second or different) adj2 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:44
L2	17	(encrypt\$4 with (key or "first key" ) with ((another or second or different) adj2 key)) same (combin\$4 with (encrypted adj2 (data or content or file or music or audio or video)) with (key or ((second or another or different) adj2 key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:56
L4	12	(encrypt\$4 with (key or "first key" ) with ((another or second or different) adj2 key)) same (combin\$4 with (encrypted adj2 (data or content or file or music or audio or video)) with (key or ((second or another or different) adj2 key))) and ( storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:56
L5	1	("6490357").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:21
L8	1	("6226618").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:39
L9	1	("6611812").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 11:40
L12	507	(encrypt\$4 near3 algorithm) near3 different near3 (algorithm)	US-PGPUB; USPAT	OR	ON	2005/04/13 13:34
L13	226	(encrypt\$4 near3 different near3 algorithm) with key	US-PGPUB; USPAT	OR	ON	2005/04/13 13:35
L14	25	(encrypt\$4 near3 different near3 algorithm) with key same (des or "xor" or m2 or m6+ or idea)	US-PGPUB; USPAT	OR	ON	2005/04/13 13:37
L15	2	(encrypt\$4 near3 different near3 algorithm) with key same (des or "xor" or m2 or m6+ or idea) same head\$3	US-PGPUB; USPAT	OR	ON	2005/04/13 13:36
S4	165	713/193.ccls. and (receiv\$4 near3 (encrypt\$4 near3 (data or file\$1 or content\$1)))	US-PGPUB; USPAT	OR	ON	2004/09/23 09:37
S5	10	S4 and (IEEE near2 "1394")	US-PGPUB; USPAT	OR	ON	2004/09/23 09:31
S6	1	S5 and @ay<"2000."	US-PGPUB; USPAT	OR	ON	2004/09/23 09:31

S59	0	"5940507.pn"	US-PGPUB; USPAT	OR	ON	2004/09/22 14:20
S60	1	"5940507".pn.	US-PGPUB; USPAT	OR	ON	2004/09/22 14:20
S61	1	"6393564".pn.	US-PGPUB; USPAT	OR	ON	2004/09/22 17:19
S68	2497	(combin\$4 or join\$4) with (data or content or file) with (key)	US-PGPUB; USPAT	OR	ON	2005/04/04 13:49
S69	3315	(combin\$4 or join\$4) with (data or content or file) with (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:51
S70	246	(combin\$4 or join\$4) with (data or content or file) with (key) and (single near3 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:51
S71	14	(combin\$4 or join\$4) with (data or content or file) with (key) and (single near3 stor\$4) same head\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:18
S72	1	("6775655").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/04 17:00
S73	25432	receiv\$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:19
S74	2841	receiv\$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt\$4 near3 (key or "first key" or "original key"))) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:21
S75	311	receiv\$4 with ((encrypted or encoded or enciphered) near3 (content or data or file or information)) same ((encrypt\$4 near3 (key or "first key" or "original key"))) same ((second or another or different) adj2 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:22